



Client  Date  Qty   
Project  Type  PO#

## LS-ARCH-EXT-FACADE-120V-LIN



### Spécifications

| Model                 | 360mm                   | 720mm                   | 1218mm                   |
|-----------------------|-------------------------|-------------------------|--------------------------|
| Power                 | 9W                      | 18W                     | 36W                      |
| Voltage               | 120V-240V               | 120V-240V               | 120V-240V                |
| Lumens                | 360Lm(RGBW)-1170Lm(CCT) | 720Lm(RGBW)-2340Lm(CCT) | 1440Lm(RGBW)-4680Lm(CCT) |
| CCT                   | 2.7K,3K,3.5K,4K,5K,RGBW | 2.7K,3K,3.5K,4K,5K,RGBW | 2.7K,3K,3.5K,4K,5K,RGBW  |
| Dimensions            | L314*W38*H119mm         | L615*W38*H119mm         | L1218*W38*H119mm         |
| Weight                | 1.1Kg                   | 1.6Kg                   | 2.5Kg                    |
| Control               | DMX512                  | DMX512                  | DMX512                   |
| Operation temperature | -40°C à 55°C            | -40°C à 55°C            | -40°C à 55°C             |
| Protection            | IP66                    | IP66                    | IP66                     |

### Oder code

LS-ARCH-EXT-FACADE-120V-LIN-  -  -  -  -

| Length | Power | CCT  | Beam angle | Finish      |
|--------|-------|------|------------|-------------|
| 314mm  | 9W    | 2.7K | 15°        | BK (black)  |
| 615mm  | 18W   | 3K   | 30°        | WH (white)  |
| 1218mm | 36W   | 3.5K | 45°        | SI (Silver) |
|        |       | 4K   | 60°        |             |
|        |       | 5K   | 10*45°     |             |
|        |       | RGBW | 15*55°     |             |
|        |       |      | 20*40°     |             |
|        |       |      | 25*25°     |             |



Client

Date

Qty


Project

Type

PO#

## LS-ARCH-EXT-FACADE-120V-LIN

### Dimensions





Client

Date

Qty


Project

Type

PO#

## LS-ARCH-EXT-FACADE-120V-LIN

### Accessories



### Installation

