



Client  Date  Qty   
 Project  Type  PO#

# LS-STRIP-24V-CCT.VAR

# LED TAPE



### Description


- CRI 90+
- 24VDC
- 9,4W/pied
- SMD BRIDGELUX
- Lifetime 50 000hrs +
- 5 years warranty
- 3-Step MacAdam's ellipse, single binning
- IP20 Protection



### Technical specifications

Model	Protection	Consumption	Color Temperature	Lumens	LED/ft	Input voltage	Beam angle	Maximum length	Width
LS-STRIP-MINI-24V-CCT.VAR	IP20	4,7W/pi	3000K	608lm/ft	38pcs/ft	24V	120°	32 ft	10mm
	IP20	9,4W/pi	4000K	1182lm/ft	38pcs/ft	24V	120°	32 ft	10mm
	IP20	4,7W/pi	5000K	595lm/ft	38pcs/ft	24V	120°	32 ft	10mm

### Dimensions







Client  Date  Qty   
 Project  Type  PO#

LS-STRIP-24V-CCT.VAR

LED TAPE

Photometric test  
3000K



**C Range: 0 - 360DEG**  
**C Interval: 30.0DEG**  
**Test Speed: HIGH**  
**Temperature:25.3DEG**  
**Operators:DAMIN**  
**Test Date:2023-10-12**

**γ Range: 0 - 180DEG**  
**γ Interval: 1.0DEG**  
**Test System:EVERFINE GO-2000A\_V1 SYSTEM V2.00.443**  
**Humidity:65.0%**  
**Test Distance:8.000m [K=0.7063]**  
**Remarks:**





Client  Date  Qty   
 Project  Type  PO#

**LS-STRIP-24V-CCT.VAR**

**LED TAPE**

Photometric test  
4000K



**C Range: 0 - 360DEG**  
**C Interval: 30.0DEG**  
**Test Speed: HIGH**  
**Temperature:25.3DEG**  
**Operators:DAMIN**  
**Test Date:2023-10-12**

**γ Range: 0 - 180DEG**  
**γ Interval: 1.0DEG**  
**Test System:EVERFINE GO-2000A\_V1 SYSTEM V2.00.443**  
**Humidity:65.0%**  
**Test Distance:8.000m [K=0.7063]**  
**Remarks:**





Client  Date  Qty   
 Project  Type  PO#

**LS-STRIP-24V-CCT.VAR**

**LED TAPE**

Photometric test  
5000K



**C Range: 0 - 360DEG**  
**C Interval: 30.0DEG**  
**Test Speed: HIGH**  
**Temperature:25.3DEG**  
**Operators:DAMIN**  
**Test Date:2023-10-12**

**γ Range: 0 - 180DEG**  
**γ Interval: 1.0DEG**  
**Test System:EVERFINE GO-2000A\_V1 SYSTEM V2.00.443**  
**Humidity:65.0%**  
**Test Distance:8.000m [K=0.7063]**  
**Remarks:**